

| | | |
|---|----------------------------------|--------------------------|
| FORM PTO-1449 (Rev. 2-32) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | ATTY. DOCKET NO. 30296A-DIV1 | SERIAL NO. 10/647,057 |
| | APPLICANT: Nagaraja, T.G. et al. | |
| | FILING DATE: August 22, 2003 | GROUP: 1645 |

U.S. PATENT DOCUMENTS


| EXAM. INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|---------------|-----------------|---------|-----------------|-------|----------|----------------------------|
| | 4 1 5 2 4 1 5 | 5/1979 | Harris et al. | | | |
| | 4 2 0 3 9 6 8 | 5/1980 | Harris et al. | | | |
| | 4 9 1 9 9 2 9 | 4/1990 | Beck | | | |
| | 5 4 5 5 0 3 4 | 10/3/95 | Nagaraja et al. | | | |
| | 5 8 6 1 1 6 2 | 1/19/99 | Nagaraja et al. | | | |
| | 5 8 0 4 1 9 0 | 9/8/98 | Struck et al. | | | |

RECEIVED
SEP 08 2003
TECH CENTER 1600/2900

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)


| | |
|--|--|
| | Abe et al.; <i>Fusobacterium necrophorum</i> infection in mice as a model for the study of liver abscess formation and induction of immunity; (1976); Infect. Immun. 13:1473-1478 |
| | Abe et al.; Immunization of Mice Against <i>Fusobacterium necrophorum</i> infection by Parenteral or Oral Administration of Vaccine; (1978); Am J. Vet Res.; 39:115-118 |
| | Berson, G.; Silver staining of proteins in polyacrylamide gels: increased sensitivity by a blue toning, (1983); Anal. Biochem. 134:230-234 |
| | Cameron et al.; Antibody Response to and Immunity Induced by <i>Corynebacterium Pyogenes</i> Vaccine; Onderstepoort J. vet. Res. 43 (3), 97-104 (1976) |
| | Cameron et al.; Failure to Induce in Rabbits Effective Immunity to a Mixed Infection of <i>Fusobacterium necrophorum</i> and <i>Corynebacterium Pyogenes</i> with a Combined Bacterin; Onderstepoort J. vet. Res. 44 (4), 253-256 (1977) |
| | Conlon et al.; Evaluation of experimentally induced <i>Fusobacterium necrophorum</i> infections in mice; (1977); Infect. Immun. 15:510-517 |
| | Coyle-Dennis, et al.; Biological and Biochemical Characteristics of <i>Fusobacterium necrophorum</i> Leukocidin; Am. J. Vet Res. (1978); 39:1790-1793 |
| | Coyle-Dennis, et al.; Correlation between leukocidin production and virulence of two isolates of <i>Fusobacterium necrophorum</i> . (1979) Am. J. Vet Res. 40:274-276 |
| | Emery et al.; Generation of immunity against <i>Fusobacterium necrophorum</i> in mice inoculated with extracts containing leukocidin; (1986) Vet. Microbiol. 12:255-268 |
| | Emery et al.; Biochemical and functional properties of a leukocidin produced by several strains of <i>Fusobacterium necrophorum</i> ; (1984); Aus. Vet. J.; 61:382-385 |
| | Emery et al.; Studies on the purification of the leukocidin of <i>Fusobacterium necrophorum</i> and its neutralization by specific antisera; (1986); Vet. Microbiol. 11:357-372 |
| | Emery et al.; Virulence determinants of <i>Fusobacterium necrophorum</i> and their prophylactic potential in animals. In: Stewart, D.J., Peterson, J.E., McKern, N.M. and Emery D.L. (eds), Foot rot in ruminants. Proceedings of a workshop, Melbourne (CSIRO Division of animal health, Australian wool corporation, Australia), 267-274 |
| | Garcia et al.; Biological characterization of <i>Fusobacterium necrophorum</i> cell fractions in preparation for toxin and immunization studies; (1975); Infect. Immun. 11:606-616 |
| | Garcia et al.; Results of a preliminary trial with sphaerophorus necrophorus toxoids to control liver abscesses in feedlot cattle; Can. J. Comp. Med., (1974) 38:222-226 |
| | Garcia, et al.; Intraperitoneal immunization against necrobacillosis in experimental animals; (1978) Can. J. Comp. Med. 42:121-127 |
| | Hunter, et al.; Failure of an <i>Actinomyces Pyogenes</i> Vaccine to Protect Sheep Against an Intravenous Challenge; Onderstepoort J. vet. Res., 57, 239-241 (1990) |

James Barker 1/11/06

| | |
|---|--|
|  | Langworth, B.F.; <i>Fusobacterium necrophorum</i> ; (1977); Bacteriol. Rev. 41:373-390 |
| | Nagaraja et al.; Liver abscesses in feedlot cattle: A review; (1998); J. Anim. Sci. 76:287-298 |
| | Narayanan et al.; Cloning, sequencing and expression of the leukotoxin gene from <i>Fusobacterium necrophorum</i> ; Infect. and Immun.; Spet. 2001, Vol. 69, No. 9, p. 5447-5455 |
| | Rowe et al.; Microtechnique for most-probable-number analysis; (1977); Appl. Environ. Microbiol. 33:675-680 |
| | Saginala et al.; Effect of <i>Fusobacterium necrophorum</i> leukotoxoid vaccine on susceptibility to experimentally induced liver abscesses in cattle; (1997); J. Anim. Sci. 75:1160-1166 |
| | Saginala et al.; The serum neutralizing antibody response in cattle to <i>Fusobacterium necrophorum</i> leukotoxoid and possible protection against experimentally induced hepatic abscesses; (1996a); Vet. Res. Comm., 20:493-504 |
| | Saginala et al.; The serum neutralizing antibody response and protection against experimentally induced liver abscesses in steers vaccinated with <i>Fusobacterium necrophorum</i> ; (1996b); Am. J. Vet. Res. 57:483-488 |
| | Smith, et al.; Pathogenicity of <i>Fusobacterium necrophorum</i> strains from man and animals; (1993); Epidemiol. Infect. 110:499-506 |
| | Smith, et al.; Necrobacillus and immunity in mice; (1989); Epidemiol. Infect. 103:211-215 |
| | Tan et al.; Selective enumeration of <i>Fusobacterium necrophorum</i> from the bovine rumen; (1994b); Appl. Environ. Microbiol. 60:1387-1389 |
| | Tan et al.; <i>Fusobacterium necrophorum</i> infections: virulence factors, pathogenic mechanism and control measures; (1996); Vet. Res. Comm. 20:113-140 |
| | Tan et al.; Biological and biochemical characterization of <i>Fusobacterium necrophorum</i> leukotoxin; (1994c); Am. J. Vet. Res. 55:515 |
| | Tan et al.; Purification and quantification of <i>Fusobacterium necrophorum</i> leukotoxin using monoclonal antibodies; (1994d); Vet. Microbiol 42:121-133 |
| | Warner et al.; Passive Hemmagglutination Test for Determining the Immune Response of Rabbits to <i>Sphaerophorus necrophorus</i> of bovine hepatic abscess origin; (1974); Am. J. Vet. Res. 35:551-554 |
| | Nagaraja et al., The Compendium, September 1996, pp. S230-241 |
| | Nagaraja et al., The Compendium, October, 1996, pp. S264-273 |
| | Gillis et al.; Evaluation of Primary Rumen Epithelial Cell Culture Technique in Sheep, Fed. Proc. 11:LB210 |
| | Zeller, U.P., Toxin Production by <i>Corynebacterium pyogenes</i> , toxin storage, antibody titres in blood and milk serum samples from healthy and mastitic cows. CAB Accession No. 792236623 (1978) |
| | Vladutiu, O. et al.; Immunization of swine against corynebacterial osteoarthropathy; CAB Accession No. 792237402; (1975/76) |
| | Funk et al.; Identification and partial characterization of an actinomyces pyogenes hemolysin; Vet. Micro., 50 (1996) 129-142 |
| | Morrison et al.; Identification of Actinomyces (<i>Corynebacterium</i>) pyogenes with the API 20 Strep System, J. Clinical Microbiology; Vol. 26, No. 9, 1988, pp. 1865-1866 |
| | Narayanan et al.; Biochemical and biological characterizations and ribotyping of actinomyces pyogenes and actinomyces pyogenes-like organisms from liver abscesses in cattle; Veterinary Microbiology, 61 (1998), pp. 289-303 |
| | Billington, et al.; Molecular characterization of the pore-forming toxin, pyolysin, a major virulence determinant; Veterinary Microbiology, 82 (2001), 261-274 |
| | Billington, et al. The Arcanobacterium (Actinomyces) pyogenes Hemolysin, Pyolysin, is a novel member of the Thiol-Activated Cytolysin Family; J. Bacteriology, Oct. 1997, p. 6100-6106 |
| | Billington, et al.; Thiol-activated cytolysins: structure, function and role in pathogenesis; FEMS Microbiology Letters 182 (2000, 197-205 |
| | Jost et al.; An arcanobacterium (actinomyces) pyogenes mutant deficient in production of the pore-forming cytolysin pyolysin has reduced virulence; Infection and Immunity, Apr. 1999, p. 1723-1728 |
| | Koromyslov, G.F., Vaccine for prevention of necrobacteriosis in cattle; SU 1835295 (Abstract) |
| | Manual of Clinical Microbiology (3rd Ed.), Culture Media, p. 975 |
| | Quinones, Sowerby, C.A., New vaccine against bovine keratoconjunctivitis; CAB Accession No. 792237182 (1978) |
| | Testing of Combined <i>Fusobacterium Necrophorum</i> Leukotoxoid and Actinomyces Pyogenes Vaccine for Prevention of Liver Abscesses (undated) |

EXAMINER: Initial if citation considered, whether not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Padma Benben 11/11/06

| | |
|--|--|
|  | Langworth, B.F.; <i>Fusobacterium necrophorum</i> ; (1977); Bacteriol. Rev. 41:373-390 |
| Nagaraja et al.; Liver abscesses in feedlot cattle: A review; (1998); J. Anim. Sci. 76:287-298 | |
| Narayanan et al.; Cloning, sequencing and expression of the leukotoxin gene from <i>Fusobacterium necrophorum</i> ; Infect. and Immun.; Spet. 2001, Vol. 69, No. 9, p. 5447-5455 | |
| Rowe et al.; Microtechnique for most-probable-number analysis; (1977); Appl. Environ. Microbiol. 33:675-680 | |
| Saginala et al.; Effect of <i>Fusobacterium necrophorum</i> leukotoxoid vaccine on susceptibility to experimentally induced liver abscesses in cattle; (1997); J. Anim. Sci. 75:1160-1166 | |
| Saginala et al.; The serum neutralizing antibody response in cattle to <i>Fusobacterium necrophorum</i> leukotoxoid and possible protection against experimentally induced hepatic abscesses; (1996a); Vet. Res. Comm., 20:493-504 | |
| Saginala et al.; The serum neutralizing antibody response and protection against experimentally induced liver abscesses in steers vaccinated with <i>Fusobacterium necrophorum</i> ; (1996b); Am. J. Vet. Res. 57:483-488 | |
| Smith, et al.; Pathogenicity of <i>Fusobacterium necrophorum</i> strains from man and animals; (1993); Epidemiol. Infect. 110:499-506 | |
| Smith, et al.; Necrobacillus and immunity in mice; (1989); Epidemiol. Infect. 103:211-215 | |
| Tan et al.; Selective enumeration of <i>Fusobacterium necrophorum</i> from the bovine rumen; (1994b); Appl. Environ. Microbiol. 60:1387-1389 | |
| Tan et al.; <i>Fusobacterium necrophorum</i> infections: virulence factors, pathogenic mechanism and control measures; (1996); Vet. Res. Comm. 20:113-140 | |
| Tan et al.; Biological and biochemical characterization of <i>Fusobacterium necrophorum</i> leukotoxin; (1994c); Am. J. Vet. Res. 55:515 | |
| Tan et al.; Purification and quantification of <i>Fusobacterium necrophorum</i> leukotoxin using monoclonal antibodies; (1994d); Vet. Microbiol 42:121-133 | |
| Warner et al.; Passive Hemmagglutination Test for Determining the Immune Response of Rabbits to <i>Sphaerophorus necrophorus</i> of bovine hepatic abscess origin; (1974); Am. J. Vet. Res. 35:551-554 | |
| Nagaraja et al., The Compendium, September 1996, pp. S230-241 | |
| Nagaraja et al., The Compendium, October, 1996, pp. S264-273 | |
| Gillis et al.; Evaluation of Primary Rumen Epithelial Cell Culture Technique in Sheep, Fed. Proc. 11:LB210 | |
| Zeller, U.P., Toxin Production by <i>Corynebacterium pyogenes</i> , toxin storage, antibody titres in blood and milk serum samples from healthy and mastitic cows. CAB Accession No. 792236623 (1978) | |
| Vladutiu, O. et al.; Immunization of swine against corynebacterial osteoarthritis; CAB Accession No. 792237402; (1975/76) | |
| Funk et al.; Identification and partial characterization of an actinomyces pyogenes hemolysin; Vet. Micro., 50 (1996) 129-142 | |
| Morrison et al.; Identification of Actinomyces (<i>Corynebacterium</i>) pyogenes with the API 20 Strep System, J. Clinical Microbiology; Vol. 26, No. 9, 1988, pp. 1865-1866 | |
| Narayanan et al.; Biochemical and biological characterizations and ribotyping of actinomyces pyogenes and actinomyces pyogenes-like organisms from liver abscesses in cattle; Veterinary Microbiology, 61 (1998), pp. 289-303 | |
| Billington, et al.; Molecular characterization of the pore-forming toxin, pyolysin, a major virulence determinant; Veterinary Microbiology, 82 (2001), 261-274 | |
| Billington, et al. The Arcanobacterium (Actinomyces) pyogenes Hemolysin, Pyolysin, is a novel member of the Thiol-Activated Cytolysin Family; J. Bacteriology, Oct. 1997, p. 6100-6106 | |
| Billington, et al.; Thiol-activated cytolysins: structure, function and role in pathogenesis; FEMS Microbiology Letters 182 (2000, 197-205 | |
| Jost et al.; An arcanobacterium (actinomyces) pyogenes mutant deficient in production of the pore-forming cytolysin pyolysin has reduced virulence; Infection and Immunity, Apr. 1999, p. 1723-1728 | |
| Koromyslov, G.F., Vaccine for prevention of necrobacteriosis in cattle; SU 1835295 (Abstract) | |
| Manual of Clinical Microbiology (3rd Ed.), Culture Media, p. 975 | |
| Quinones, Sowerby, C.A., New vaccine against bovine keratoconjunctivitis; CAB Accession No. 792237182 (1978) | |
| Testing of Combined <i>Fusobacterium Necrophorum</i> Leukotoxoid and Actinomyces Pyogenes Vaccine for Prevention of Liver Abscesses (undated) | |

EXAMINER: Initial if citation considered, whether not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Joanna B. Baker

1/11/05